



*Meyer Super-V2 with optional curb guards and Nite Saber II lights.*

## Versatility with improved plowing performance.

When you want the convenience of a "V" blade, a scoop blade or straight blade, you want a Meyer Super-V Plow. Available in two moldboard styles, Super-V Plows are built to take on the demanding tasks during changing conditions. With Super-V's one touch controller and dual-acting cylinders, you can put the plow in just about any configuration by pushing just one button. And each of its bottom-trip moldboards can trip independently for maximum performance.



*Super-V LD fits smaller pick-ups with the same great performance as the larger models.*

*Super-V plows are eligible for a full 5-year warranty. See back cover for details.*

# Innovative design, excellent results.

The Meyer Super-V2 plow features unique tapered wings that clear snow up to 62% better than a conventional V-plow. The moldboard has a 70 degree attack angle and a curvature similar to that of a highway plow to create excellent snow rolling action, reducing the number of passes needed to finish a job. Slot and tab construction creates stronger joints for increased durability.



Steel moldboard with standard center deflector.

## One Button Controller

Standard on Meyer V-Plows, our exclusive one button controller lets you put the plow in box, scoop or straight configurations with just one touch. It can also be used with all newer Meyer straight blade plows.



## Bottom-Trip Edge

No matter how the plow is configured, only the lower portion of the plow gives way, while the rigid moldboard remains upright so the load is not lost.



## Locked and Ready for Action

Why pay for a lock-out system when you don't have to? Backdrag snow more efficiently than ever with our standard locking double-acting cylinders. Going forward or backward, just set the angle you want and the blade position is locked.



## Meyer Super-V Product Specifications

Model #	Blade Type	Moldboard Length	Moldboard Height*	Moldboard Gauge	Vertical Ribs	Plow Trip Springs	Cutting Edge	Average Width at Full Angle	Angling Rams	Weight Complete
SV-LD 7.5	Bottom-Trip	7'6"	28"	14 Steel	4 per wing	2 per wing	3/8" x 6"	81"	1 1/2" x 12"	592 lb.
SV-8.5	Bottom-Trip	8'6"	30.5"	12 Steel	4 per wing	2 per wing	1/2" x 6"	88"	1 1/2" x 12"	900 lb.
SV-9.5	Bottom-Trip	9'6"	30.5"	12 Steel	4 per wing	2 per wing	1/2" x 6"	99"	1 1/2" x 12"	940 lb.
SV2-8.5	Bottom-Trip	8'6"	29.5" – 38.25"	12 Steel	4 per wing	2 per wing	1/2" x 6"	88"	1 1/2" x 12"	954 lb.
SV2-9.5	Bottom-Trip	9'6"	29.5" – 39.5"	12 Steel	4 per wing	2 per wing	1/2" x 6"	99"	1 1/2" x 12"	994 lb.
SV2-10.5	Bottom-Trip	10'6"	29.5" – 40.5"	12 Steel	4 per wing	2 per wing	1/2" x 6"	109"	1 1/2" x 12"	1034 lb.

\* Height from the center of moldboard to each end

Attachments and accessories pages 24 & 25.